

分析检测报告

REPORT FOR ANALYSIS

报告编号 2013FM1178
Report No.

样品名称 空气净化器（净化后的空气）
Name of Sample

委托单位 东莞钜鸿林实业有限公司
Applicant

检测地点 广东省微生物分析检测中心
Place for Test

地址：广州市先烈中路 100 号大院 59 号楼
Address: Building 59, No.100 Central Xian Lie Road, Guangzhou, China
邮政编码：510070
Postcode:
电话号码：(020)87137666
Tel:
传真号码：(020)87137668
Fax:
网址：www.gddcm.com
Website:

广东省微生物分析检测中心

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

分析检测报告

REPORT FOR ANALYSIS

样品名称 <u>空气净化器（净化后的空气）</u> Name of Sample 样品规格及批号 <u>SK180004003</u> Spec and Lot № of Sample 委托单位 <u>东莞钜鸿林实业有限公司</u> Applicant 检测项目 <u>消毒效果</u> Test Item 报告编号 <u>2013FM1178</u> Report №. 检测方法 <u>公共场所集中空调通风系统卫生规范（2006）（附录 G：空气净化消毒装置微生物净化消毒效果检测方法）</u> Test Method	接样方式及数量 <u>送检 1 个</u> Way and Quantity of Reception 样品状态和特性 <u>固体</u> State and Characteristic 接样日期 <u>2013/04/24</u> Sample Received Date 检测日期 <u>2013/04/24 至 2013/04/27</u> Testing Period 签发日期 <u>2013/04/29</u> Date for Reporting
--	--

分析检测结果

Results

样品名称	处理方法	序号	菌落总数 (cfu/m ³)	消除率 (%)	
空气净化器 (净化后的空气)	装置前入风口	1	6.2×10 ²	/	
		2			
		3			
	装置后出风口	1	<10		>98.39
		2			
		3			
(以下空白)					
备注 Remarks					

审核：
Verifier

批准：
Approver

盖章：
Official Seal

广东省微生物分析检测中心

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

分析检测报告

REPORT FOR ANALYSIS

报告编号 (Report No.): 2013FM1178

注意事项

Notice Items

1. 检测报告无本单位检测专用章、骑缝章无效。
Test report is invalid if not affixed with Authorized Stamp of Test and Paging Seal.
2. 检测报告无审核人、批准人签字无效。
Test report is invalid without signature of verifier and approver.
3. 检测报告涂改增删无效。
Test report is invalid if being supplemented, eleted or altered.
4. 未经本单位书面许可不得部分复制检测报告 (全部复制除外)。
Without prior written permission of the laboratory, the test report cannot be reproduced, except in full.
5. 除非另有说明, 本报告检测结果仅对测试样品负责。
Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
6. 对检测报告若有异议, 应于收到报告之日起十五天内向检测单位提出。
Objections to the test report must be submitted to us within 15 days.
7. 样品为客户送检时, 样品来源信息由客户提供, 实验室不负责其真实性。
If the samples is submitted by the customer for detection, sample source information is provided by the customer and the laboratory is not responsible for its authenticity.